

RFID

PRODUCT CATALOGUE



TWENTY YEARS OF

World-Class
Retail Solutions

CONTENT

Tags	3
Stocktaking Readers	4
Tag Detachers	4
Commissioning Kits	5
Software Applications	6

Copyright © Gunnebo Gateway AB. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means electronic or mechanical, for any purpose without the express written permission of Gunnebo Gateway AB. Information in this document is subject to change without prior notice.

Tags

Supported Protocols

- ISO 1800-6C
- EPCglobal Class-1 Gen-2

	<p>Dual Technology Smart Tag RFK_T1006</p> <p>Dual Technology Smart Tag, RFID and AM 58kHz compliant, with super 3 ball clutch for loss prevention and stocktaking operations. The T1006 tag supports existing loss prevention gates (58kHz).</p> <p>Art. no 426006 • Tag supports existing loss prevention gates (58kHz)</p> <p>Color Black</p> <p>Frequency 860-960 Mhz</p>	<p>Length 45 mm</p> <p>Width 45 mm</p> <p>Height 17 mm</p> <p>Weight 12 g</p>
	<p>Dual Technology Smart Tag RFK_T1007</p> <p>Dual Technology Smart Tag, RFID and AM 8.2MHz compliant, with super 3 ball clutch for loss prevention and stocktaking operations. The T1007 tag supports existing loss prevention gates (8.2MHz).</p> <p>Art. no 426007 • Tag supports existing loss prevention gates (8.2MHz).</p> <p>Color Black</p> <p>Frequency 860-960 Mhz</p>	<p>Length 45 mm</p> <p>Width 45 mm</p> <p>Height 17 mm</p> <p>Weight 12 g</p>
	<p>Dual Technology Smart Tag RFK_T1008</p> <p>Dual Technology Smart Tag, RFID and EAS 66kHz compliant, with super 3 ball clutch for loss prevention and stocktaking operations. The T1008 tag supports existing loss prevention gates (66kHz).</p> <p>Art. no 426008 • Tag supports existing loss prevention gates (66kHz).</p> <p>Color Black</p> <p>Frequency 860-960 Mhz</p>	<p>Length 45 mm</p> <p>Width 45 mm</p> <p>Height 17 mm</p> <p>Weight 12 g</p>
	<p>Dual Technology Round Oyster Tag RFK_T1009</p> <p>Dual Technology Round Oyster Tag, RFID and RF 8.2MHz compliant, with super 3 ball clutch for loss prevention and stocktaking operations. The T1009 tag supports existing loss prevention gates (8.2MHz).</p> <p>Art. no 426009 • Tag supports existing loss prevention gates (8.2MHz).</p> <p>Color Black</p>	<p>Length 45 mm</p> <p>Width 25 mm</p> <p>Height 6 mm</p> <p>Weight 15 g</p>

Stocktaking Readers



Portable Stocktaking Reader RFK_SR4002

Portable Stocktaking Reader with touch screen for high capacity stocktaking operations. The SR4002 reader operates in stores and harsh environments such as warehouses and distribution centers. It reads hundreds of items per second and enables to count complete stores within minutes. Screen displays the count progress and number of remaining items to count.

Art. no 426402



Short-range Stocktaking Handheld Reader RFK_SR4003

Short-range Stocktaking Handheld Reader for locating products, and shipping and receiving operations. The SR4003 handheld reader can efficiently read closed boxes and validate their content.

Art. no 426403

Tag Detachers



Driver-less Smart POS Detacher RFK_TD5002

Driver-less Smart POS Detacher releases RFKeeper tags, reads the product information stored within tags, and instantly transfers this information to the cash register. Smart POS Detacher connects to most POS models, automates customer checkout processes, and does not require any driver or software installation on the POS terminal.

Art. no 426502


Commissioning Kits



Tag Commissioning Desktop Station RFK_AK6001

Tag Commissioning Desktop Station enables efficient data writing of product information into tags. The device can instantly write item's information using a unique encryption method that securely stores rich supply chain information on the tag. The tag commissioning station is EPCglobal Class-1 Gen-2 compliant.

Art. no 426601



Tag Commissioning Pad RFK_AK6002

Tag Commissioning Pad enables efficient data writing of product information into tags. The device can connect to any PC or laptop USB ports and instantly write item's information using a unique encryption method that securely stores rich supply chain information on the tag. The Tag Commissioning Pad requires the SW8005 Commissioning Software and is EPCglobal Class-1 Gen-2 compliant.

Art. no 426602

Software Applications



Application Center Base OTC RFK_SW8001

Application Center Software provides the infrastructure for all RFKeeper software modules. It provides the foundation for inventory counts, merchandise replenishment, as well as a variety of administration tools.


Art. no 426801



Inventory count module RFK_SW8002

Inventory Count Software displays stocktaking data collected by one or several Stocktaking readers. Reports such as Inventory, Variance, Overstock and Understock are generated instantly. Moreover, it enables to view the count progress in real time and displays readers' status and number of items counted by each reader and all together. The module offers to upload computer inventory file, display a target figure to the counters and provide variance reports as the count progresses.

Art. no 426802



Merchandize replenishment module RFK_SW8003

Merchandise Replenishment Software displays stores' backrooms and sales floors accurate inventory information. The module analyzes which items are missing on the sales floor and instantly generates pick lists or replenishment reports. Furthermore, it provides a comprehensive report of items that are running low at the store and should be ordered from the warehouse or distribution center.

Art. no 426803